

STANDARDS
LANTERNS
BRACKETS

BIDDLE-GAUMER COMPANY

PHILADELPHIA PENNSYLVANIA

CATALOGUE No. 19

Catalogue Number Nineteen

Exterior Lighting Fixtures

STANDARDS

POST LIGHTS ~ LANTERNS

BRACKET LANTERNS



*"Gaumer Lighting Everywhere
Follows the Evening Glow"*

BIDDLE-GAUMER COMPANY

ESTABLISHED 1882

INCORPORATED 1890


3846-56 Lancaster Avenue

PHILADELPHIA, PENNA.

FORTY-FIVE YEARS OF SUCCESSFUL BUSINESS

Copyright 1927 by Biddle-Gaumer Co.

Established
1882



Incorporated
1890

Where Guaranteed Lighting Fixtures Are Made

SPECIFICATIONS

Fixtures shown in this catalogue can be furnished in iron, copper or bronze metal.

Get special quotations on metals other than specified on list.

We maintain a *Service Department* which will be glad to furnish suggestions and special designs when required if you will furnish us with details of your requirements or blue prints or plans of the building.



GUARANTEED LIGHTING FIXTURES



No. 09186—B.-G. Co.


Length, 49 in. over all

Extension, 24 in. to center of Lantern

Lantern Body Hexagon, 17 in. extreme diameter


Wall Plate, $7\frac{1}{2}$ x $17\frac{1}{2}$ in.

R. I. Glass, $3\frac{1}{2}$ x 6 x 17 in.




No. 09155—B.-G. Co.

Length, 52 in. over all
Extension, 10 in. to center
Wall Plate, 25 x 6 in.
R. I. Ball, 14 x 7 in.



No. 010653—B.-G. Co.


Length, 29 in. over all
Extension, 12 in. to center
Wall Plate, 11 x 16½ in.
R. I. Ball, 14 x 7 in.



No. 09049—B.-G. Co.


Length, 33 in. over all
Extension, 12½ in. to center
Wall Plate, 11 x 16½ in.
R. I. Ball, 14 x 7 in.

GUARANTEED LIGHTING FIXTURES




No. 010744—B.-G. Co.

Length, 18 in. over all
Extension, 8 in. center of ball
Wall Plate, 7 x 9 in.
R. I. Ball, 10 x 4 in.




No. 07203—B.-G. Co.

Extension, 12½ in. to center
Wall Plate, 18½ x 5 in.
R. I. Ball, 14 x 7 in.




No. 09466—B.-G. Co.

Length, 32 in. over all
Extension, 8½ in. to center
Wall Plate, 8 x 12 in.
R. I. Ball, 14 x 7 in.




No. 010894—B.-G. Co.

Length, 22 in. over all
 Extension, 7 in. to center
 Spread of Arms, $14\frac{1}{2}$ in. C. to C.
 Wall Plate, $6\frac{1}{4}$ in. diameter
 R. I. Balls, 8 x 4 in.



No. 010240—B.-G. Co.


Length, 26 in. over all
 Extension, $11\frac{1}{2}$ in. to center of Ball
 Wall Plate, 8 x 15 in.
 R. I. Ball, 12 x 6 in.



No. 09182—B.-G. Co.


Length, 28 in. over all
 Extension, $11\frac{1}{2}$ in. to center
 Wall Plate, 8 x 15 in.
 R. I. Ball, 14 x 6 in.

GUARANTEED LIGHTING FIXTURES




No. 09887—B.-G. Co.

Length, 25 in. over all
Extension, $11\frac{1}{2}$ in. to center of Ball
Wall Plate, 8 x 15 in.
R. I. Ball, 14 x 6 in.



No. 09060—B..G. Co.

Length, 31 in. over all
Extension, $10\frac{1}{2}$ in. to center
Wall Plate, 9 x 12 in.
R. I. Ball, 16 x 8 in.



No. 09047—B.-G. Co.


Length, 30 in. over all
Extension, 8 in. to center
Wall Plate, $7\frac{1}{2}$ in. diameter
R. I. Ball, 12 x 5 in

BIDDLE - GAUMER COMPANY




No. 07756—B.-G. Co.

Length, 23 in. over all
Extension, $6\frac{1}{2}$ in. to center
R. I. Ball, 8 x 4 in.



No. 09215—B.-G. Co.

Length, 30 in. over all
Extension, 8 in. to center
Wall Plate, $7\frac{1}{2}$ in. diameter
R. I. Ball, 12 x 5 in.



No. 010880—B.-G. Co.


Length, $25\frac{1}{2}$ in. over all
Extension, 7 in. to center
Wall Plate, $6\frac{1}{4}$ in. diameter
R. I. Ball, 10 x 4 in.

GUARANTEED LIGHTING FIXTURES




No. 06237—B.-G. Co.

Length, 36 in. over all
Extension, 9 in. to center
Wall Plate, 11 in. diameter
R. I. Ball, 14 x 7 in.



No. 010595—B.-G. Co.

Length, 48 in. over all
Extension, 11 in. to center
Wall Plate, 11 in. diameter



No. 09222—B.-G. Co.


Length, 35 in. over all
Extension, 9 in. to center
Wall Plate, 8 x 14 in.
R. I. Ball, 12 x 6 in.



No. 020076—B.-G. Co.
Extension, 12 in. to center
Wall Plate, $6\frac{3}{4} \times 14\frac{1}{4}$ in.
R. I. Ball, 12 x 6 in.




No. 020077—B.-G. Co.
Extension, $8\frac{1}{2}$ in. to center
Wall Plate, 9 in. square
R. I. Ball, 10 x 5 in.




No. 08897—B.-G. Co.
Extends 12 in. to center of Ball
Wall Plate, $9\frac{1}{2}$ in. diameter
R. I. Ball, 12 x 5 in.

GUARANTEED LIGHTING FIXTURES



No. 10237—B.-G. Co.

Length, 89 in. over all
Lantern Hexagon, 21 in. extreme diameter
Extension of Wall Bracket, 17 in over all
Extreme Extension of Lantern Body, 29 in.
Clear Plate Glass Panels



No. 10290—B.-G. Co.

Length, 83 in. over all

Lantern Hexagon, 21 in. extreme diameter

Extension, $13\frac{1}{2}$ in. to center of Lantern

Clear Plate Glass Panels

GUARANTEED LIGHTING FIXTURES



No. 05452—B.-G. Co.

Length, 54 in. over all
 Extension, 15 in. to center of Lantern
 Lantern Hexagon, $24\frac{1}{2}$ in. diameter top
 Clear Plate Glass, $5\frac{1}{2} \times 8\frac{3}{4} \times 19$ in.




No. 018589—B.-G. Co.

Length, $44\frac{1}{2}$ in. over all
 Extension, 13 in. to center
 Lantern Hexagon, 18 in. extreme diameter
 Cathedral Glass Panels

No. 09081—B.-G. Co.

Length, 50 in. over all
 Extension, 12 in. to center of Lantern
 Lantern Hexagon, 15 in. extreme diameter
 Wall Plate, 16 x 6 in.
 Clear Plate Glass Panels, $4\frac{1}{2}$ x 12 in.



No. 010163—B.-G. Co.

Length, 36 in. over all
 Extension, $9\frac{1}{4}$ in. to center of Lantern
 Lantern Round, $11\frac{1}{2}$ in. diameter through center
 Wall Plate, $7 \times 9\frac{3}{4}$ in.
 Cathedral Glass Panels

GUARANTEED LIGHTING FIXTURES

No. 07894—B.-G. Co.

Length, 36 in. over all

Extension, 11 in. to center

Lantern Hexagon, 12 in. diameter center

Cathedral Glass, $4\frac{1}{2} \times 13\frac{1}{4}$ in.




No. 06850—B.-G. Co.

Length, 54 in. over all

Extension, 13 in. to center of Lantern

Lantern Hexagon, 13 in. diameter center


R. I. Glass Panels, $26 \times 5\frac{1}{2}$ in.





No. 014610—B.-G. Co.

Length, 38 in. over all
 Extends $11\frac{1}{2}$ in. to center of Lantern
 Wall Plate, 8 x 15 in.
 Lantern Body Hexagon, $15\frac{1}{2}$ in. diameter
 Cathedral Glass, 5 x $11\frac{1}{2}$ x 3 in.



No. 013669—B.-G. Co.

Length, 39 in. over all
 Extends $11\frac{1}{2}$ in. to center of Lantern
 Wall Plate, 8 x 15 in.
 Lantern Hexagon, $15\frac{1}{2}$ in. diameter
 Cathedral Glass, 5 x $11\frac{1}{2}$ x 3 in.

GUARANTEED LIGHTING FIXTURES

No. 10402—B.-G. Co.

Length, 39 in. over all

Extension, 13 in. to center

Lantern Hexagon, $15\frac{1}{2}$ in. diameter

R. I. Glass, $5 \times 11\frac{1}{2} \times 3$ in.



No. 09006—B.-G. Co.

Length, 40 in. over all

Extension, 12 in. to center

Lantern Hexagon, $15\frac{1}{2}$ in. extreme diameter

R. I. Glass, $5 \times 11\frac{1}{2} \times 3$ in.



No. 010878—B.-G. Co.

Length, 32 in. over all
 Extension, 15 in. to center of Lantern
 Lantern Hexagon, 14 in. extreme diameter
 Cathedral Glass, $4\frac{1}{2}$ x 12 x 3 in.



No. 013857—B.-G. Co.

Length, 33 in. over all
 Extension, 10 in. to center of Lantern
 Lantern Round, 10 in. diameter
 Clear Cathedral Glass Panels
 Wall Plate 4 x $13\frac{1}{2}$ in.

GUARANTEED LIGHTING FIXTURES



No. 018501—B.-G. Co.

Length, 33 in. over all

Extension 10 in. to center

Lantern Hexagon, 13 in. diameter

Wall Plate, $5\frac{3}{4}$ x 8 in.

Cathedral Glass Panels




No. 10379—B.-G. Co.

Length, 25 in. over all

Lantern Octagon, 10 in. diameter top

Extension, 6 in. to center of Lantern


R. I. Glass, $3\frac{1}{4}$ x $9\frac{1}{2}$ x $1\frac{3}{4}$ in.



No. 010953—B.-G. Co.

Length, 28 in. over all
Extension, $8\frac{1}{2}$ in. to center of Lantern
Lantern Hexagon, 8 in. diameter center
Wall Plate, $4\frac{1}{2} \times 8\frac{3}{4}$ in.
Cathedral Glass, $3\frac{1}{4} \times 8\frac{3}{4}$ in.

No. 014975—B.-G. Co.
Length, 30 in. over all
Extension, $8\frac{1}{4}$ in. to center
Lantern Octagon, 13 in. diameter
Cathedral Glass




No. 019891—B.-G. Co.
Length, 34 in. over all
Extension, $14\frac{1}{2}$ in. to center
Lantern Body Hexagon, 7 in. diameter
Cathedral Glass $3\frac{1}{4} \times 7$ in.

GUARANTEED LIGHTING FIXTURES



No. 016024—B.-G. Co.

Length, 32 in. over all
Extension, 14 in. to center
Lantern Hexagon, 12 in. diameter
Cathedral Glass



No. 010368—B.-G. Co.

Length, 24 in. over all
Extension, 11 in. to center of Lantern
Wall Plate, 5½ x 16 in.
Lantern, 12 in. across flat sides
R. I. Glass, 8 Panels

No. 018079—B.-G. Co.

Length, 32 in. over all
Extension, 27 in. to center
Lantern Square, 12 in.
R. I. Glass



No. 015314—B.-G. Co.

Length, 18 in. over all
Extension, 7½ in. to center
Lantern Body, 8½ in. Square
Clear Glass

No. 018766—B.-G. Co.

Length, 23 in. over all
Extension, 8½ in. to center
Lantern Hexagon, 11½ in. extreme diameter
Cathedral Glass 4¼ x 13 in.



GUARANTEED LIGHTING FIXTURES



No. 016561—B.-G. Co.

Length, 30 in. over all
Extension, 9 in. to center
Lantern Octagon, 10¼ in. extreme diameter
Cathedral Glass



No. 016338—B.-G. Co.

Length, 29 in. over all
Extension, 9½ in. to center
Lantern Hexagon, 9 in. extreme diameter
Cathedral Glass



No. 016429—B.-G. Co.

Length, 28 in. over all
Extension, 12 in. to center
Lantern Hexagon, 11½ in. extreme diameter
Cathedral Glass




No. 011629—B.-G. Co.

Length, 22 in. over all
Extension, 23 in. to center
Lantern Square, 12½ in.
Wall Plate, 5½ x 13½ in.
Cathedral Glass



No. 017949—B.-G. Co.

Length, 52 in. over all
Extension, 13 in. to center
Lantern Hexagon, 13½ in. Diameter Top
Wall Plate, 6 x 18 in.
Cathedral Glass



No. 018838—B.-G. Co.

Length, 40 in. over all
Extension, 8 in. to center
Lantern Hexagon, 11 in. extreme diameter
Wall Plate, 5 x 14½ in.
R. I. or Cathedral Glass, 3¾ x 11½ in.

GUARANTEED LIGHTING FIXTURES



No. 017082—B.-G. Co.

Length, 30 in. over all
 Extension, 13½ in. to center
 Lantern 10¾ in. Across Flat Sides
 Cast Bronze Metal
 R. I. Glass




No. 018250—B.-G. Co.

Length, 21½ in. over all
 Lantern 10¾ in. Across Flat Sides
 Cast Bronze Metal
 R. I. Glass



No. 010001—B.-G. Co.

Length, 30 in. over all
 Extension, 15 in. to center of Lantern
 Wall Plate, 5½ x 12 in.
 Hexagon Lantern, 13¾ in. diameter top
 R. I. Glass Panels, 3¼ x 4¼ x 9¼ in.



No. 014117—B.-G. Co.

Length, 26 in. over all
Extension 10 in. to center of Lantern
Lantern Hexagon, 9 in. diameter
R. I. Glass
Wall Plate



No. 014697—B.-G. Co.

Length, 26 in. over all
Extension, 10 in. to center
Lantern Hexagon, 10 in. diameter
Cathedral Glass



No. 014155—B.-G. Co.

Length, 31 in. over all
Extension, 11½ in. to center
Lantern Hexagon, 10½ in. diameter
Cathedral Glass

GUARANTEED LIGHTING FIXTURES



No. 017467—B.-G. Co.
Length, 28 in. over all
Extension, 8 in. to center
Lantern Hexagon, 12 in. extreme diameter
R. I. Glass



No. 017326—B.-G. Co.
Length, 20 in. over all
Extension, 6½ in. to center
Lantern Hexagon, 9 in. diameter
Cathedral Glass



No. 014687—B.-G. Co.
Length, 21 in. over all
Extension, 10½ in. to center
Lantern Hexagon, 10 in. extreme diameter
Cathedral Glass



No. 012992—B.-G. Co.

Length, 36 in. over all
Lantern Hexagon, 8 $\frac{1}{4}$ in. diameter
R. I. Glass



No. 09037—B.-G. Co.

Length, 30 in. over all
Lantern Octagon, 13 $\frac{1}{2}$ in. diameter
R. I. Glass, 3 x 4 x 12 in.



No. 014100—B.-G. Co.

Length, 60 in. over all
Lantern Octagon, 14 in. diameter
Cathedral Glass, 3 x 4 x 10 in.

GUARANTEED LIGHTING FIXTURES



No. 012543—B.-G. Co.

Length, 48 in. over all
Lantern Octagon, 14 in. diameter
Clear Glass, 4 x 11½ inches




No. 012532—B.-G. Co.

Length, 48 in. over all
Lantern Hexagon, 12 in. diameter
Cathedral Glass



No. 017254—B.-G. Co.

Length, 48 in. over all
Lantern Hexagon, 12 in. diameter
through center
Cathedral Glass



No. 014614—B.-G. Co.

Length, 48 in. over all
Lantern Round, 10 in. diameter
Cathedral Glass



No. 017165—B.-G. Co.

Length, 60 in. over all
Lantern Round, 15 in. diameter
R. I. Cylinder 12 x 16 in.



No. 018339—B.-G. Co.

Length, 48 in. over all
Lantern Round, 11½ in. diameter
Clear Cylinder, 9 x 11 in.



GUARANTEED LIGHTING FIXTURES



No. 017836—B.-G. Co.

Length, 46 in. over all
Lantern Hexagon, 17 in. diameter
Clear Glass



No. 018553—B.-G. Co.


Length, 72 in. over all
Lantern Round, 19 in. diameter
Clear Glass



No. 018602—B.-G. Co.

Length, 48 in. over all
Lantern Hexagon, 10 in. diameter
Cathedral Glass

No. 014190—B.-G. Co.
Length, 60 in. over all
Lantern Round, 12 in. diameter
R. I. Glass



No. 018402—B.-G. Co.
Length, 60 in. over all
Lantern Hexagon, 13 in. diameter
R. I. Glass

GUARANTEED LIGHTING FIXTURES

No. 016653—B.-G. Co.

Length, 72 in. over all

Lantern Hexagon, 28 in. extreme diameter

Cast Brass Metal

Clear Glass



No. 017162—B.-G. Co.

Length, 72 in. over all

Lantern Hexagon, 17 in. extreme diameter

R. I. Glass



No. 8901—B.-G. Co.
Height, 36 in. over all
Lantern Hexagon, 14½ in. diameter
Base, 11 in. diameter
R. I. Glass



No. 014816—B.-G. Co.
Height, 25½ in. over all
Lantern, 14½ in. diameter top
Cathedral Glass
Base Scrolls, 13 in. spread



No. 011684—B.-G. Co.
Height, 34 in. over all
Lantern Hexagon, 15 in. diameter
R. I. Glass, 12 x 5 x 3 in.
Scrolls at Base, 22 in. spread

GUARANTEED LIGHTING FIXTURES



No. 07514—B.-G. Co.

Height, 24 in. over all
Lantern Body, 12 in. square top
Base, 9½ in. square
R. I. Glass



No. 011685—B.-G. Co.

Height, 28 in. over all
Lantern Body, 12 in. square top
Scrolls at Base, 24 in. spread
R. I. Glass



No. 09211—B.-G. Co.

Height, 42 in. over all
Lantern, 20 in. diameter octagonal
Base, 17½ in. diameter octagonal
R. I. Glass, 4¾ x 3 x 14 in.



No. 09601—B.-G. Co.

Height, 34 in. over all
Lantern, 19 in. diameter octagonal
Base, 18 in. square
R. I. Glass, 5 x 11 x 3 in.

GUARANTEED LIGHTING FIXTURES




No. 8904—B.-G. Co.

Height, 26 in. over all
Base, 15 in. diameter round
Lantern Hexagon, 15 in. diameter
R. I. Glass Panels, $9\frac{1}{2} \times 4\frac{3}{4} \times 3\frac{1}{2}$ in.



No. 09069—B.-G. Co.

Height, 38 in. over all
Base, 14 in. diameter
Lantern Hexagonal, 15 in. diameter
R. I. Glass, $5 \times 3 \times 12$ in.



No. 012395—B.-G. Co.

Height, 20 in. over all
Base, 14½ in. across flats
R. I. Ball, 14 x 6 in.



No. 09904—B.-G. Co.

Height, 15½ in. over all
Base, 8½ in. round
R. I. Ball, 12 x 7 in.



No. 016214—B.-G. Co.

Height, 28 in. over all
Lantern Body, 10 in. diameter
Base, 11 in. diameter
Cathedral Glass

GUARANTEED LIGHTING FIXTURES



No. 010111—B.-G. Co.

Height, 18 in. over all
Base, 11 in. square
R. I. Ball, 12 x 7 in.



No. 019907—B.-G. Co.

Height, 30 in. over all
Base, 10 in. diameter
R. I. Glass, 18 in. diameter



No. 8900—B.-G. Co.

Height, 19 in. over all
Base, 14 $\frac{1}{4}$ in. across flats
R. I. Ball, 13 x 6 in.




No. 09050—B.-G. Co.

Height, 50 in. over all
Base, 10 in. square
R. I. Ball, 12 x 5 in.



No. 016009—B.-G. Co.


Height, 44 in. over all
Base Scrolls, 19 in. diameter
Ball, 20 in. diameter
Cathedral Glass



No. 0854C—B.-G. Co.

Height, 62 in. over all
Base, 14 in. square
R. I. Ball, 14 x 7 in.

GUARANTEED LIGHTING FIXTURES



No. 8851—B.-G. Co.
Height, 80 in. over all
Base, 12 in. square
R. I. Ball, 12 x 5 in.



No. 07737—B.-G. Co.
Height, 60 in. over all
Lantern Hexagon, 14 in. extreme diameter
Base, 12 in. square
R. I. Glass, 5 x 9 in.



No. 09185—B.-G. Co.
Height, 84 in. over all
Base, 16½ in. diameter, round
R. I. Ball, 12 x 5 in.




No. 08200—B.-G. Co.

Height, 47 in. over all
Base, 12 in. square
R. I. Ball, 12 x 6 in.

No. 019540—B.-G. Co.

Height, 67 in. over all
Top, 17½ in. diameter
Base, 13 in. square
R. I. Glass, 14 in. diameter



No. 010098—B.-G. Co.

Height, 60 in. over all
Base, 12 in. square
R. I. Ball, 12 x 6 in.

GUARANTEED LIGHTING FIXTURES

No. 020144—B.-G. Co.

Height, 89 in. over all

Base, 20 in. square

Top, 21 in. diameter

R. I. Glass, 14 in. diameter





No. 07716—B.-G. Co.

Height, 48 in. over all

Base, 10 in. diameter

R. I. Ball, 12 x 6 in.



No. 010529—B.-G. Co.

Height, 48 in. over all

Base, 11 in. diameter, round

R. I. Ball, 12 x 7 in.

No. 08527—B.-G. Co.


Same design except

Height, 36 in. over all

BIDDLE - GAUMER COMPANY


No. 07895—B.-G. Co.

Height, 91 in. over all
Spread, $18\frac{1}{2}$ in. center of lights
Base, $14\frac{1}{2}$ in. diameter, round
R. I. Balls, 10 and 12 in.



No. 03873—B.-G. Co.



Height, 78 in. over all
Spread, 26 in. extreme
Base, 18 in. square
R. I. Balls, 10 and 12 in.



GUARANTEED LIGHTING FIXTURES


No. 09691—B.-G. Co.

Height, 81 in. over all
Lantern Octagon, 14½ in. diameter
R. I. Glass Panels, 13 x 4½ x 3 in.
Base, 13 in. square



No. 010338—B.-G. Co.

Height, 70 in. over all
Base, 16 in. square
R. I. Ball, 14 x 6 in.




No. 8872—B.-G. Co.

Height, 76 in. over all
Base, 13 in. square
R. I. Ball, 14 x 7 in.

No. 8865—B.-G. Co.

Height, 92 in. over all
Base, 20 in. square
R. I. Ball, 14 x 6 in.



No. 06234—B.-G. Co.


Height, 78 in. over all
Base, 14 in. square
R. I. Ball, 14 x 7 in.



No. 09384—B.-G. Co.

Height, 66 in. over all
Lantern Body Octagon, 15½ in. diameter
Scrolls at Base, 14 in. diameter
Cathedral Glass

GUARANTEED LIGHTING FIXTURES



No. 020487—B.G. Co.

Lantern, 13 x 18 in.

Scroll spread approx. 84 in. center of bolts

Height, 48 in. overall

In ordering No. 020487 specify exact dimensions
required between bolt centers for fastening



No. 016680—B.G. Co.

Extension, 37 in. overall

Length, 48 in. overall

Sign, 23 x 23 in. extreme

Wood Sign Face

Sign illuminated from top reflector
by four lights

Lettering on Wood Sign
Not Included in Price

ORNAMENTAL WROUGHT IRON, BRASS AND BRONZE WORK



No. 020486—B.-G. Co.
Grille shown made 5 ft. x 7 ft. 8 in.
In ordering specify sizes required

EXTERIOR AND INTERIOR ORNAMENTAL GATES AND GRILLE WORK DESIGNED TO FIT YOUR REQUIREMENTS

